



Automotive Sensors Commercial Vehicle Sensors Circuit Protection Solutions




Automotive Sensors

The Bourns Automotive Division has played a leading role in the design, development and manufacture of potentiometer sensors for over 70 years. At our engineering centers in Riverside/California, Taufkirchen/Germany and Auburn Hills/Michigan we develop and design a range of customized automotive position, speed and torque sensors. These products are manufactured in Ajka/Hungary, Chihuahua & Tijuana/Mexico and Xiamen/China.

Bourns, Inc. is a privately held company with headquarters in Riverside, California. Currently, there are about 5,300 employees located in 14 different Bourns-owned design and manufacturing locations worldwide.

Our research and development work combined with close collaboration with customers helps to ensure that our products meet the highest standards set for the automotive industry. Using state-of-the-art development software and world-class production methods, Bourns can provide innovative and cost-effective solutions for your applications.





ur phenolic paper, high aluminum oxide ceramics, thermosetting plastics and specially developed Bourns[®] resistor inks are designed to withstand the harshest operating conditions within rated limits, with many of our sensors used in rigorous on and off highway applications. Our non-contacting sensors are developed with a wide range of magneto resistancebased angular sensor solutions supplemented by competitive Hall Effect and 2 Axis Hall Effect technology. Bourns can assist in the selection of the most appropriate technology for your specific applications.

Bourns TS16949 certified quality system and the Bourns Production System (BPS) help ensure uncompromised quality and maximum reliability. Lean production methods are also used during the design and manufacturing phases of a project. Control can be adequately exercised because Bourns offers its own in-house design, tool making, screen-printing, cermet firing and injection molding capabilities, in addition to the development of our own proprietary resistance inks.

The Bourns Automotive Division operates worldwide with its own Automotive sales team to ensure experienced support is always available at the customer's location. Further specialized technical support is offered by each product line to assist with the design process.

- 1 Headlight Range Sensor
- 2 Exhaust Gas Recirculation
- 2 Diesel Injection Sensor
- 3 ABS Wheel Speed Sensor
- 4 Accelerator Pedal Sensor5 Motor Position Sensor for EPAS
- 6 Steering Angle Sensor
- 6 Torque Sensor
- 7 Brake Pedal Position Sensor

- 8 Transmission Speed Sensor
- 9 Throttle Position Sensor
- 9 Pedal Angle Sensor
- 10 Dashboard Dimming
- 11 Air Flap Position Sensor12 Sunroof Control
- 13 Chassis Level Sensor
- 14 Fuel Card for Fuel Level Sensing

Automotive Sensors






Part #	Product	Contacting	Non-Contacting	N.C. Technology	Rotary	Line
		Si	teering			
5002	Absolute Steering Angle Sensor		•	AMR	•	
}	Incremental Steering Angle Sensor		•	AMR		
}	Non-Contacting Torque Sensor		•	AMR	•	
}	Non-contacting Torque Sensor with Angle Index- Feature (with clockspring)		•	AMR/HE	•	
\	Clockspringfree Non-Contacting Torque Sensor		•	HE	•	
l	Clockspringfree Non-Contacting Torque and Index Sensor		•	HE/HE	•	
	Clockspringfree Non-Contacting Torque and Angle Sensor		•	HE/AMR	•	
}	BLDC Motor Position Sensor		•	AMR	•	
			hassis			
R	Non-Contacting Chassis Level Sensor		•	HE		
	Non-contacting chassis level belisor	D	raking	III.		
	D 1 D 116	D	rakiliy	ur.		
}	Brake Pedal Sensor		•	HE	•	
} }	Passive ABS Wheel Speed Sensors		•	VR	•	
{	Active ABS Wheel Speed Sensors		•	HE/AMR	•	
	Engine & Powertrain	Senso	ors			
Part #	Product	Contacting	Non-Contacting	N.C. Technology	Rotary	Line
}	Exhaust Gas Recirculation	•			•	
}	Exhaust Gas Recirculation		•	HE	•	
R041	Manifold Intake Sensor		•	HE		
2010	ETC Pedal Sensor	•				•
R078	Non-Contacting ETC Pedal Sensor		•	HE	•	
1099	Diesel Injection Pump Sensor	•				•
}	Non-Contacting PRNDL Sensor		•	HE	•	
₹	Neutral-Reverse Gear Position Sensor		•	HE		•
}	Gear Fork Lever Position Sensor (1D & 2D)		•	HE		•
}	Non-Contact Linear DCT Sensor (to 25 mm)		•	HE		•
R112	Small Engine TPS Sensor (10 - 130 HP)	•	0		•	
R153	Motorbike Gear-by-Wire Sensor	•			•	
} }	Fuel Level Sensor Transmission Speed Sensors			VR/HE/Ind.		
	Halishlission speed selisors			VN/ПЕ/IIIU.		
	Comfort Sensors					
Part #	Product	Contacting	Non-Contacting	N.C. Technology	Rotary	Line
R205	Hollow Shaft Encoder for Powered Closure Systems - Tailgate and Side Door Applications			HE		
1478	HVAC Air Flap Sensor	•			•	
3713	HVAC Temperature Control	•				N
716X	Steering Reach and Rake Position Sensor	•				•
)479	External Mirror Position Sensor	•			\backslash	M^{3}
017	External Mirror Position with Memory				•	
362	4 Position Sensor - Door/Sunroof Control	•		MIL	√II√	
	Linear Motion Seat Position Sensor					
3048						1000
012 015	Linear Position Sensor - Headlamp Leveling Linear Position Sensor - Headlamp Leveling		TIII			

Commercial Vehicle Sensors

A ctive steering, electronically controlled suspension, anti-lock disc braking and exhaust gas recirculation are some examples of the increased presence of electronics in commercial vehicles. You probably know OEMs which supply these modules, but did you know that Bourns supplies the heart?

Bourns has provided custom position sensing solutions for nearly 20 years, beginning with the delivery of our custom linear brake wear sensor for commercial vehicle applications. This sensor operates each time the brake pedal is depressed to determine disc pad wear; the sensor sends a signal to the brake ECU, which evenly distributes brake application to ensure even wear takes place. For fleet users this increases the interval between pad changes and enhances the safety of the vehicle by identifying the level of pad wear.





ourns was one of the first companies to supply high Dtemperature contacting EGR sensors and we are currently developing high temperature, non-contacting solutions, for EGR and turbo applications.

As advancements in the reliability of commercial vehicles increase, Bourns invests in a continuous process of technical innovation. As existing technologies mature, it is fundamental to maintain our position as a dependable sensor supplier. As an example of our commitment to the progression of commercial vehicle design, we offer four different types of non-contacting sensors. We are focused on finding the most suitable technology for our customers' specific application requirements. Our noncontacting sensors are intended for applications with dither profiles extending above 200 million cycles and a duration measured in excess of 50 million full strokes. Solutions employing these technologies include the R117 2 Axis HE chassis level sensor, the J1843 R078 rotary sensor and the SAS6000 AMR based active steering sensor. Bourns automotive portfolio also includes sensors for wheel and transmission speed sensing and one of the few market proven non-contacting torque sensors.

- 1 Steering Angle Sensor
- 2 Differential Torque Sensor
- 2 Non-Contacting Torque Sensor
- 3 Chassis Level Sensor
- 4 Brake Wear Sensor5 Master Cylinder Brake Sensor
- 6 Brake Pad Distance Sensor
- 7 Exhaust Gas Recirculation Sensor
- 8 Turbo Waste Gate Sensor
- 9 Manifold Intake Sensor

- 10 Throttle Position Sensor
- 11 Pedal Position Sensor
- 12 Gear Position Sensor
- 13 Diesel Injection Pump Sensor
- 14 HVAC Air Flap Senso
- 15 External Mirror Position Sensor
- 16 Transmission Speed Sensor
- 17 Steering Reach and Rake Sensor
- 18 Wheel Speed (front & rear)
- 19 Headlamp Leveling Sensor
- 20 Fuel Card for Fuel Level Sensing

Commercial Vehicle Sensors





venicie D	/namics Sensors	

Part#	Product	Contacting	Non-Contacting	N.C. Technology	Rotary	Linear		
	Steering							
6001	Absolute Steering Angle Sensor in Brackets (8 Turn Range)		•	AMR	•			
R	Incremental Steering Angle Sensor		•	AMR	•			
R	Combination Torque and SAS sensor	•	•	HE/AMR	•			
	Chassis							
2007	Chassis Level Sensor	•			•			
R	Non-Contacting Chassis Level Sensor		•	HE	•			
		В	raking					
3713	Brake Wear Sensor	•				•		
R	Non-Contacting Brake Wear Sensor		•	HE		•		
2008	Air Brake Master Cylinder Position Sensor	•			•			
R	Brake Pedal Sensor		•	HE	•			
R842	Brake Pedal Module Sensor		•	AMR	•			
R	Passive ABS Wheel Speed Sensor		•	VR	•			
R	Active ABS Wheel Speed Sensor		•	HE/AMR	•			

Engine & Powertrain Sensors

Part#	Product	Contacting	Non-Contacting	N.C. Technology	Rotary	Linear
0383	Exhaust Gas Recirculation	•			•	
8513	Exhaust Gas Recirculation		•	HE	•	
R041	Manifold Intake Sensor		•	HE		
2010	Contacting ETC Pedal Sensor	•				•
R	Non-Contacting ETC Pedal Sensor		•	HE		
R	Transmission Speed Sensor		•	HE/AMR	•	
1099	Diesel Injection Pump Sensor					•
R	Fuel Level Sensor	•			•	

Comfort Sensors

Part#	Product	Contacting	Non-Contacting	N.C. Technology	Rotary	Linear
3713	HVAC Temperature Control	1.			1.	1411
3716X	Steering Reach and Rake Position Sensor	•				•
0473	External Mirror Position Sensor					
1017	External Mirror Position with Memory	•			•	
3048	Linear Motion Seat Position Sensor					$\Pi \Pi \Pi$
1012	Linear Position Sensor - Headlamp Leveling	•				•
2003	Seat Position Sensor	•				
_		•				K N


Automotive Circuit Conditioning

Types Available:

- Inductors
- Transformers
- Power resistors
- · Metal alloy shunts

Features:

- · AEC-Q200 qualified
- · Manufactured in TS 16949 facilities
- · Automotive operating temperatures
- · High quality and reputation



Applications

- Battery chargers
- Body contro
- DC/DC converters, moto inverters and current limiters
- Diagnostic tools
- Electronic Control Modules (FCU)
- Infotainment, telematics, navigation, connected car
- Instrument cluster
- Integrated Starter
 Generator (ISG) control
- Intelligent Battery Sensor (IBS)
- Lighting drivers
- (Li-ion) battery management
- · Networkin
- Start/Stop control module



Automotive <u>Circuit Protection</u>

Types Available:

- Multifuse® PPTC resettable fuses
- ChipGuard® MIVs
- TBU-DB-Q series
- · AEC-0101 TVS diodes

Features:

- Overcurrent protection for automotive applications
- TS 16949 quality system
- Resettable PTCs suitable for application temperatures up to 125 °C
- Majority certified to AEC-Q101or AEC-Q200
- Wide range of current ratings (0.05 20 A)
- · Dedicated automotive CP team
- TVS diodes for ESD and Surge Protection
- TBU-DB-Q for battery



Applications

- Window regulators
- Seat adjustment motor
- Sunroof activation motors
- Powerbus (mode protection) applications
- Other DC motor applications

- (ar alarm system)
- Dower steering mot
- GPS shark fin antennae
- Cooling & HVAC systems
- Electronic control un (ECU) input/output protection
- Load dump and other transient voltage protection
- Infotainment, telematics and navigation
 input/output protection
- Battery sensing/balancing protection

11

www.bournsautomotive.com automotive@bourns.com

Our engineering and production centers

Engineering Centers



Bourns, Inc. Riverside, California U.S. Headquarters

Bourns Sensors GmbH Taufkirchen, Germany

Bourns, Inc. Auburn Hills, Michigan



Bourns Kft. Ajka, Hungary

Bourns Xiamen Xiamen, China

Bourns de Mexico Chihuahua, Mexico

Bourns de Mexico Tijuana, Mexico



Bourns Sensors GmbH

Eschenstrasse 5 D-82024 Taufkirchen, Germany

Bourns, Inc.

1660 N. Opdyke Road, Ste. 200 Auburn Hills, MI 48326-2655 USA