

Bourns[®] SinglFuse[™] Automotive Grade Fuses

INTRODUCTION

Bourns is pleased to announce the introduction of five new families of AEC-Q200 compliant*, automotive-grade SMD fuses to complement its already successful line of SinglFuse™ SMD Fuse products.

The new SF-0603HIA-M, SF-0603SA-M, SF-0603SPA-R, SF-1206HIA-M, SF-1206SA-M, SF-1206SA-R, SF-1206SA-W, SF-2410FPA-W, and SF-2410FA-W model families are UL 248-14 listed, RoHS compliant** and halogen free***. All five families meet Bourns' internal AEC-Q200 equivalent test plan which includes more severe test conditions and larger sample sizes to ensure the products can handle typical harsh environments. These new model families are intended for use in a variety of industrial, medical, and telecom applications.

PRODUCT FIT

With these new automotive grade fuses,
Bourns continues to broaden its portfolio of
SinglFuse™ SMD Fuses to address the growing
need for effective circuit protection in a variety
of battery system applications including main
control power input, slave control monitor
lines and cell balance lines within the battery
management system (BMS), and the battery
module and BMS connection board within the
interconnection board module.

These automotive grade fuses can be applied in a variety of applications including telecom and networking equipment, PCs and monitors, server farms, portable memory, portable electronics, gaming systems, robotics, smart appliances, battery chargers, and industrial controllers to name just a few.

FEATURES

- EIA 0603, 1206 and 2410 footprints
- · AEC-Q200 compliant*
- UL 248-14 listed
- · RoHS compliant**
- Halogen free***


COMMON APPLICATIONS

- Industrial
- Medical****
- Telecom
- · Battery Management Systems

MARKET SEGMENT OVERVIEW

Global demand for electric vehicles has increased sharply over the last several years. 2018 saw a 64 % increase in global plug-in vehicle deliveries compared to 2017, with 1.2 million deliveries in China alone.

According to some industry analysts, the global hybrid and electric vehicle fuse market will grow at a CAGR of over 23 % from 2018-2022. One major factor driving the market's growth is the increasing electronic content in hybrid and electric vehicles.



Data source: EVvolumes.com

- Meets Bourns internal AEC-Q200 equivalent test plan.
- RoHS3 Directive 2015/863 Amendments of Annex II on March 31, 2015.
- ** Bourns considers a product to be "halogen free" if (a) the Bromine (Br) content is 900 ppm or less; (b) the Chlorine (Cl) content is 900 ppm or less; and (c) the total Bromine (Br) and Chlorine (Cl) content is 1500 ppm or less
- **** Bourns® products have not been designed for and are not intended for use in "lifesaving," "life-critical" or "life-sustaining" applications nor any other applications where failure or malfunction of the Bourns® product may result in personal injury or death. See Legal Disclaimer Notice: http://www.bourns.com/docs/legal/disclaimer.pdf.


NEW PRODUCT BRIEF

Bourns® SinglFuse™ Automotive Grade Fuses

PRODUCT CHARACTERISTICS

Series	Photo	Size (EIA)	Rated Current	Rated Voltage	UL Listed	AEC-Q200 Compliant*	RoHS Compliant**	Halogen Free***
SF-0603HIA-M		0603	1 A – 5 A	32 Vdc	Yes	Yes	Yes	Yes
SF-0603SA-M	6	0603	0.5 A – 8 A	24 - 65 Vdc	Yes	Yes	Yes	Yes
SF-0603SPA-R		0603	1 A – 8 A	50/63 Vdc	Yes	Yes	Yes	Yes
SF-1206HIA-M	C	1206	0.5 A – 6 A	24 – 65 Vdc	Yes	Yes	Yes	Yes
SF-1206SA-M	C	1206	0.5 A – 5 A	65 Vdc	Yes	Yes	Yes	Yes
SF-1206SA-R	(10)	1206	10 A – 20 A	32 Vdc	Yes	Yes	Yes	Yes
SF-1206SA-W	0	1206	1.5 A – 15 A	32 — 110 Vdc	Yes	Yes	Yes	Yes
SF-2410FPA-W	C	2410	1 A — 10 A	125 – 250 Vdc	Yes	Yes	Yes	Yes
SF-2410FA-W	+	2410	12 A – 20 A	65 Vdc	Yes	Yes	Yes	Yes

SINGLFUSE™ PORTFOLIO



BOURNS

EMEA: Tel +36 88 885 877 Email eurocus@bourns.com

www.bourns.com